

# Heard and McDonald Islands solar store in

??o Heard v&#224; qu?n ??o McDonald (vi?t t?t l&#224; HIMI [1]) l&#224; m?t qu?n ??o c?n c?i kh&#244;ng ng??i ? n?m ? Nam ??i D??ng, kho?ng hai ph?n ba kho?ng c&#225;ch t? Madagascar ??n ch&#226;u Nam C?c, ho?c 7718 km t? ph&#237;a nam Rajapur, Maharashtra.N&#243; l&#224; l&#227;nh th? c?a &#218;c t? n?m 1947, v&#224; ch? ch?a hai n&#250;i l?a trong l&#227;nh th? thu?c &#218;c ...

Heard Island and McDonald Islands are uninhabited, barren, Subantarctic islands in the Southern Ocean, far due south of India and roughly 400 km southeast of Kerguelen of the French ...

Located in the Southern Ocean, this Australian external territory comprises mainly two volcanic islands, Heard Island and the McDonald Islands, featuring stark volcanic landscapes, glaciers, and the highest mountain in Australian territory, Mawson Peak. Significance.

Satellitbild av sydspetsen av Heard Island. Kap Arkona ses p&#229; v&#228;nster sida av bilden, med Lied Glacier strax ovanf&#246;r och Gotley Glacier strax nedanf&#246;r. Big Ben Volcano och Mawson Peak ses l&#228;ngst ned till h&#246;ger p&#229; bilden. Heard- och McDonald&#246;arna, Heard and McDonald Islands, &#228;r en obebodd australisk &#246;grupp i s&#246;dra Indiska oceanen.

Heard Island and McDonald Islands are located in the Southern Ocean, approximately 1,700 km from the Antarctic continent and 4,100 km south-west of Perth. As the only volcanically active subantarctic islands they "open a window into the earth", thus providing the opportunity to observe ongoing geomorphic processes and glacial dynamics. ...

Mawson Peak on Heard Island is the highest Australian mountain (at 2,745 meters, it is taller than Mt. Kosciuszko in Australia proper), and one of only two active volcanoes located in Australian territory, the other being McDonald Island; in 1992, McDonald Island broke its dormancy and began erupting; it has erupted several times since, most ...

The first sighting of the larger island, Heard, is attributed to the British captain Peter Kemp in 1833, but also to the American captain John J. Heard, in 1853. Much smaller McDonald island, 27 mi (43.5 km) to the west, was spotted a year later by British captain William McDonald.

A map of Heard Island and McDonald Islands land areas updated in 2024 with recent coastline mapping and 2014 glacial... Climate and weather As you would expect of a sub-Antarctic island group situated in the middle of the Southern Ocean, the climate and...

?? ??? (Heard Island and McDonald Islands.?: HIMI)? ??? ??? ????? ??????. ?? ??? 372km 2 ?? . ?? ? ?? ??

# Heard and McDonald Islands solar store in

?? 368km 2 ??, ?? ?? ??? ?? ?? ?? 2,745m? ?????, ??????? ?? ?? ? ?? ?? ??.. ??????? ?? ??? ...

Some wetland areas have been recorded on McDonald Island but, due to substantial volcanic activity since the last landing was made there in 1980, their present extent is unknown. Conservation significance. The Heard Island and McDonald Islands (HIMI) wetland is listed on the Directory of Important Wetlands in Australia. An analysis found that ...

Due to the extreme isolation of Heard Island and McDonald Islands (HIMI), together with the persistently severe weather and sea conditions, human activities in the region have been, and remain, limited.

Commonwealth of Australia since 1953. The Heard Island and McDonald Islands Act 1953 provides the legislative basis for the Territory's administration. Administration of the Territory is the responsibility of the Australian Government department that administers the Heard Island and McDonald Islands Act 1953. This responsibility has ...

Time for sunrise, sunset, moonrise, and moonset in Territory of Heard Island and McDonald Islands - Heard and McDonald Islands - Australia. Dawn and dusk (twilight) times and Sun and Moon position. Takes into account Daylight ...

The subantarctic island group of Heard Island and McDonald Islands (HIMI) is located in the southwest Indian Ocean at about 53°S, 73°E. The islands are around 4,000 kilometres ...

Named after individual people: Captain John Heard, American sealer who sighted the island on 25 November 1853 & Captain William McDonald, who discovered the McDonald Islands close to Heard Island six weeks later, on 4 January 1854

Landesname: Heard and McDonald Islands [h?rd ?nd m?k'd?nl?d 'a'l?ndz] bzw. Heard Island and McDonald Islands (HIMI) (englisch) Amtliche Langform: Territorium der Heard- und McDonald-Inseln - Territory of Heard and McDonald Islands (englisch) Etymologie: Heard-Insel: 1853 nach dem US-amerikanischen Seefahrer John J. HEARD benannt - McDonald-Inseln: 1854 nach ...

?????????(?:Heard Island and McDonald Islands,?:HIMI),?????????,1947?????????,1997?????????(????????)???????1600????????;????????1000????????,?????3700?????,???????80%????????,????????? ...

The first sighting of the larger island, Heard, is attributed to the British captain Peter Kemp in 1833, but also to the American captain John J. Heard, in 1853. Much smaller McDonald island, 27 mi (43.5 km) to the west, was spotted a ...

OverviewWildlifeHistoryGeographyAdministration and economySee alsoFurther readingExternal linksThe

# Heard and McDonald Islands solar store in

islands are part of the Southern Indian Ocean Islands tundra ecoregion that includes several subantarctic islands. In this cold climate, plant life is mainly limited to grasses, lichens, and mosses. Low plant diversity reflects the islands' isolation, small size, severe climate, the short, cool growing season and, for Heard Island, substantial permanent ice cover. The main environmental deter...

Territorial extent: The territory includes Heard Island, Shag Island, and the McDonald Islands (Flat Island and McDonald Island). The UN LOCODE page for Heard and McDonald Islands lists locations in the country, some of them with their latitudes and longitudes, some with their ISO 3166-2 codes for their subdivisions. This information can be put together ...

Web: <https://www.borrellipneumatica.eu>

